## WESTCHASE GASTROENTEROLOGY

JOHN CHANG, MD, FACG AMIR AWAD, MD, FACG ALFREDO MENDOZA, MD, MS

4695 Van Dyke Road, Lutz FL 33558 | 11912 Sheldon Road, Tampa FL 33626 | 508 S. Habana Ave, Ste. 270, Tampa FL 33609 Telephone: 813.920.8882 Fax: 813.920.8883

www.westchasegi.com

## HALO PREPARATION INSTRUCTIONS

Please read over these instructions carefully

## Preparations prior to your procedure date:

- ✓ DO NOT take for seven (7) days prior to procedure: any anti-coagulants/blood thinners/anti-platelets medication(s) (Plavix, Coumadin, Effient, Xarelto, Pradaxa, etc.) Aspirins, and/or NSAIDs. Please contact the physician who prescribed any of those medications in advance for clearance and/or instructions. This includes over the counter (OTCs): iron, multi-vitamin with iron, Vitamin E, St. John's Wort, ginko-biloba, ginger, fish oil, and garlic pills. If you need to take a pain reliever, you can take Tylenol (Acetaminophen).
- ✓ Five (5) days prior to procedure date: increase your dose of proton pump inhibitors (PPIs) to twice a day. PPI medications are: Omeprazole (Prilosec), Pantoprazole (Protonix), Lansoprazole (Prevacid), Rabeprazole (Aciphex), Zegerid, Nexium, and Dexilant.
- ✓ DO NOT EAT or DRINK after midnight the night before procedure date.

Day of your procedure:	. Be at the Outpatient Endoscopy Unit at:
Day of your procedure.	. Be at the outputient Engoscopy onit at.

- ✓ **DO NOT eat or drink.** Exception: if you take blood pressure, heart, seizure and/or thyroid medications, take with a small sip of water no later than two (2) hours before your procedure time.
- ✓ Please bring the following items with you:
  - 1. Your insurance cards and driver's license
  - 2. Eye glasses if needed for reading
- ✓ Please leave jewelry and valuables at home, wedding band(s) may be worn.
- ✓ Please wear comfortable clothes; you will be changing into a gown.

## **Important reminders:**

- ✓ Someone must drive you home after your procedure. You will not be discharged from the facility if you do not have a driver.
- ✓ Plan on resting after your procedure. Avoid big activities, operating motor vehicles, and do not drink alcohol on the day of the procedure.
- ✓ If you are DIABETIC:
  - a. If you use insulin, only **use** ½ **dose** of insulin the night before your procedure & **NO** insulin the morning of your procedure.
  - b. If you take pills, **DO NOT** take them the day before and the morning of your procedure. You may resume normal dosing after your procedure.
- ✓ You may have some discomfort/pain, similar to heartburn after the procedure, this is normal. For pain, take GI cocktail, as directed, or for comfort and soothing, take Carafate 1g/10ml suspension as directed. Please fill these prescriptions at least three days in advance to your procedure to ensure the availability of the medications at your pharmacy.

<u>NOTE</u>: IF YOU HAVE NOT SCHEDULED A FOLLOW-UP APPOINTMENT FOR AFTER YOUR PROCEDURE PLEASE CALL THE OFFICE TO SCHEDULE ONE. WE DO NOT GIVE RESULTS OVER THE PHONE, NO EXCEPTIONS. THANK YOU!